

This listing of the claims will replace all prior versions and listings of claims in the application:

Listing of Claims:

1-2. (Cancelled)

3. (Currently Amended) A process for the preparation of cannabinoid aryl sulfonates comprising:

reacting at least one cannabinoid with at least one aryl sulfonyl halide in the presence of at least one base $R_5R_6R_7N$, wherein R_5 , R_6 and $[[R_6]] R_7$ are lower alkyls of 1 to about 6 carbon atoms, and a solvent, wherein the cannabinoid aryl sulfonates are crystalline and stable at room temperature under air.

4. (Original) The process according to Claim 3, wherein the cannabinoid is a naturally occurring component of cannabis.

5. (Original) The process according to Claim 3, wherein the aryl of the at least one aryl sulfonyl halide is selected from the group consisting of benzene, alkyl substituted benzene, halogen substituted benzene, nitrobenzene, alkoxy substituted benzene, substituted naphthyl compounds and unsubstituted naphthyl compounds.

6-7. (Cancelled)

8. (Original) The process according to Claim 3, further including mixing the at least one cannabinoid, the at least one aryl sulfonyl halide and the at least one base in an organic solvent prior to the reacting of the at least one cannabinoid with the at least one aryl sulfonyl halide in the presence of the at least one base and further includes removing the organic solvent after the step of reacting the at least one cannabinoid with the at least one aryl sulfonyl halide in the presence of the at least one base.

9. (Original) The process according to Claim 8, wherein the organic solvent is selected from the group consisting of toluene, methylene chloride, chloroform and heptane.

10. (Currently Amended) A process for the purification of a cannabinoid comprising:

esterifying the cannabinoid with at least one aryl sulfonyl halide in the presence of at least one base $R_5R_6R_7N$, wherein R_5 , R_6 and $[[R_6]] R_7$ are lower alkyls of 1 to about 6 carbon atoms, to form a cannabinoid aryl sulfonate; and

allowing the cannabinoid aryl sulfonate to crystallize, wherein the cannabinoid aryl sulfonate is crystalline and stable at room temperature under air.

11. (Original) The process according to Claim 10, wherein the allowing of the cannabinoid aryl sulfonate to crystallize further includes adding at least one solvent and at least one seed crystal.

12. (Original) The process according to Claim 11, wherein the at least one solvent is selected from the group consisting of methanol, heptane, hexane, t-butyl methyl ether, n-pentanol, n-butanol, isopropanol, isobutanol, ethanol, acetone, acetonitrile and isopropyl acetate.

13. (Original) The process according to Claim 10, further includes recrystallizing the cannabinoid aryl sulfonate to purify the cannabinoid aryl sulfonate.

14. (Original) The process according to Claim 10, wherein the cannabinoid is a naturally occurring component of cannabis.

15. (Original) The process according to Claim 10, wherein the aryl of the at least one aryl sulfonyl halide is selected from the group consisting of benzene, alkyl substituted benzene, halogen substituted benzene, nitrobenzene, alkyloxy substituted benzene, substituted naphthyl compounds and unsubstituted naphthyl compounds.

16-17. (Cancelled)

18. (Currently Amended) A process for the purification of a cannabinoid comprising:

esterifying the cannabinoid with at least one aryl sulfonyl halide in the presence of at least one base $R_5R_6R_7N$, wherein R_5 , R_6 and $[R_6] R_7$ are lower alkyls of 1 to about 6 carbon atoms, to form a cannabinoid aryl sulfonate;

allowing the cannabinoid aryl sulfonate to crystallize; and,

hydrolyzing the cannabinoid aryl sulfonate to recover the cannabinoid, wherein the cannabinoid aryl sulfonate is crystalline and stable at room temperature under air.

19. (Original) The process according to Claim 18, further includes recrystallizing the cannabinoid aryl sulfonate to purify the cannabinoid aryl sulfonate.

20. (Original) The process according to Claim 18, wherein the cannabinoid is a naturally occurring component of cannabis.

21. (Original) The process according to Claim 18, wherein the aryl of the at least one aryl sulfonyl halide is selected from the group consisting of benzene, alkyl substituted benzene, halogen substituted benzene, nitrobenzene, alkyloxy substituted benzene, substituted naphthyl compounds and unsubstituted naphthyl compounds.

22-23. (Cancelled)